

# Navilock Car charger 1 x USB Type-C™ + 1 x USB Type-A

## Description

This Navilock USB car charger can be used to charge two USB devices. One port is equipped with a USB Type-C™ connector, thereby supported devices can be charged with up to 3 A. The second port with a USB Type-A connector provides up to 2.4 A with intelligent charging technology for conventional devices.



**Item no. 62782**

EAN: 4043619627820

Country of origin: China

Package: Retail Box

## Specification

- Connector:
  - 1 x USB Type-C™ female
  - 1 x USB Type-A female
- Input: DC 12 ~ 24 V
- Output:
  - USB Type-C™ female 5 V / 3.0 A
  - USB Type-A female 5 V / 2.4 A
- Over load protection
- Over current protection
- Overheating protection
- Short circuit protection
- LED indicator
- Operating temperature: 0 °C ~ 35 °C
- Storage temperature: -20 °C ~ 60 °C
- Colour: black
- Dimensions (LxD): ca. 68.3 x 30.0 mm

## Package content

- Car charger

---

## Images



## Technical characteristics

Storage temperature:	-20 °C ~ 60 °C
Operating temperature:	0 °C ~ 35 °C

## Physical characteristics

Housing colour:	black
Diameter:	30.0 mm
Length:	68.3 mm

## Power supply

Type:	Car charger
Input:	DC 12 - 24 V
Output:	5.0 V / 3.0 A
Connector:	1 x USB Type-A female 1 x USB Type-C™ female