

Navilock Power Bank 10200 mAh 1 x USB Type-A female, 1 x USB Type-C™ female

Description

This external battery by Navilock can be used for all common devices with USB power supply. The power bank has one USB Type-A port and one USB-C™ port to charge two devices at the same time. The USB-C™ port has two functions, one is to charge the power bank as well as charge connected devices.



Specification

- Connector:
 - 1 x USB Type-A female
 - 1 x USB Type-C™ female
- Capacity: 10200 mAh
- Output:
 - USB Type-A: 5 V / 2.4 A
 - USB Type-C™: 5 V / 3 A
- Input: 5 V / 2.0 A
- On / Off switch
- LED indicator for battery status
- LG battery, lithium-ionen
- Overcharge and over-discharge protection
- Input overvoltage protection and output overvoltage protection
- Short circuit protection
- Automatic power-off
- Operating temperature: 0 °C ~ 45 °C
- Storage temperature: 0 °C ~ 60 °C
- Operating humidity: • Storage humidity: • Weight of the power bank: ca. 210 g
- Colour: black / white
- Dimensions (LxWxH): ca. 138 x 62 x 22 mm

System requirements

- USB device

Package content


- Power bank
- Cable USB Typ-A male to USB-C™ male, length ca. 15 cm
- Bag
- User manual

Item no. 41502

EAN: 4043619415021

Country of origin: China

Package: Retail Box



Images



General

LED indicator: **standard**
battery status

Protection: **standard**
Overcharge protection
Over-discharge protection
Output overvoltage protection
Input overvoltage protection
Short circuit protection
Overheating protection
Automatic power-off

Interface

Output: **standard**
1 x USB Type-A female 5 V / 2.4 A
1 x USB Type-C™ female 5 V / 3 A

Input: **standard**
1 x USB Type-C™ female 5 V / 2.0 A

Technical characteristics

Storage temperature: **standard**
0 °C ~ 60 °C

Operating temperature: **standard**
0 °C ~ 45 °C

Capacity: **standard**
10200 mAh

Physical characteristics

Weight: **standard**
210 g

Length: **standard**
138 mm

Width: **standard**
22 mm

Height: **standard**
62 mm

Colour: **standard**
black / white