


# Navilock Connection Cable M8 female serial waterproof > USB Type-C<sup>™</sup> 2.0 male 1.2 m

#### Description

The water-proof connection cable by Navilock converts the serial signals for all M8 GNSS receivers to USB.





Package: Zip poly bag

#### Specification

- Connectors:
- 1 x M8 female >
- 1 x USB Type-C<sup>™</sup> 2.0 male
- Chipset: Prolific PL2303TA
- Data transfer: bidirectional
- Cable gauge: 28 AWG
- Waterproof
- Cable colour: black
- Length incl. connectors (L): ca. 1.2 m

#### System requirements

- Windows Vista/7/8/8.1/10, Linux Kernel 2.6 or above, Mac OS 10.6 or above
- PC or laptop with a free USB Type-C<sup>™</sup> port


#### Package content

- Connection cable for M8 GNSS receiver
- Navilock support CD



#### Images







#### General

| Specification:              | USB Type-C™   |
|-----------------------------|---|
| Supported operating system: | Linux Kernel 2.6 or above<br>Mac OS 10.6 or above<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8 32-bit<br>Windows 8 64-bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows Vista 32-bit<br>Windows Vista 64-bit |
| Protection category:        | waterproof  |

#### Interface

| connector:   | 1 x M8 female            |
|--------------|--------------------------|
| Connector 1: | 1 x USB 2.0 Type-C™ male |

### **Technical characteristics**

| Chipset: | Prolific PL23 | 2303TA |
|----------|---------------|--------|

## **Physical characteristics**

| Cable colour:                 | black  |
|-------------------------------|--------|
| Cable length incl. connector: | 1.20 m |