

Navilock Antenna Cable RP-SMA jack bulkhead to MHF® 4 plug 0.81 20 cm thread length 10 mm

Description

This antenna cable by Delock is suitable to supply an antenna signal in the interior of a device.



20 cm

Specification

- Connectors:
1 x RP-SMA jack bulkhead >
1 x MHF® 4 plug
- Thread length: 10 mm
- Impedance: 50 Ohm
- Cable: coaxial
- Cable type: 0.81
- Cable attenuation: 4.9 dB @ 2.4 GHz per meter
- Cable diameter: ca. 0.81 mm
- Smallest bending radius: 3.24 mm
- Cable colour: black
- Cable length incl. connectors: ca. 20 cm

Item no. 88815

EAN: 4043619888153

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

System requirements

- Device with one free RP-SMA or MHF® 4 port

Package content

- Cable
- Nut and Locking Ring

Images

Kabeldämpfung
Attenuation

| Q | 0.81 | | | 1.13 | | | 1.37 | | | | | |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|
| Meter | 0.20 | 0.35 | 0.50 | 1.00 | 0.20 | 0.35 | 0.50 | 1.00 | 0.20 | 0.35 | 0.50 | 1.00 |
| dB@2.4GHz | 0.98 | 1.72 | 2.45 | 4.90 | 0.84 | 1.12 | 1.80 | 3.20 | 0.50 | 0.88 | 1.25 | 2.50 |
| dB@6.0GHz | 1.70 | 2.98 | 4.25 | 8.50 | 1.08 | 1.89 | 2.70 | 5.40 | 0.86 | 1.51 | 2.15 | 4.30 |

| Interface | |
|-------------------------------|-----------------------------|
| Connector 1: | 1 x RP-SMA jack bulkhead |
| Connector 2: | 1 x MHF® 4 plug |
| Technical characteristics | |
| Impedance: | 50 Ω |
| Physical characteristics | |
| Thread length: | 10 mm |
| Cable category: | coaxial |
| Cable type: | 0.81 |
| Cable attenuation: | 4.9 dB @ 2.40 GHz per meter |
| Cable colour: | grey |
| Cable diameter: | 0.81 mm |
| Cable length incl. connector: | 20 cm |
| Smallest bending radius: | 3.24 mm |